



L 100 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro código	Tipo Type Typ Type Tipo	Codice flangia Flange code Bordscheiben-Code Code flasque Código brida	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg	
Acciaio / Steel / Stahl Acier / Acero	10L100	L100010	6F	FL050	10	30,32	29,56	37,0	20	-	31,8	45	8	0,15	
	11L100	L100011	6F	FL050	11	33,35	32,59	37,0	22	-	31,8	45	8	0,20	
	12L100	L100012	6F	FL052	12	36,38	35,62	43,0	24	-	31,8	45	8	0,26	
	13L100	L100013	6F	FL083	13	39,41	38,65	44,0	28	-	31,8	45	8	0,30	
	14L100	L100014	6F	FL054	14	42,45	41,68	48,0	28	-	31,8	45	11	0,34	
	15L100	L100015	6F	FL055	15	45,48	44,72	51,0	34	-	31,8	45	11	0,45	
	16L100	L100016	6F	FL056	16	48,51	47,75	54,0	36	-	31,8	45	11	0,52	
	17L100	L100017	6F	FL057	17	51,54	50,78	57,0	36	-	31,8	45	11	0,53	
	18L100	L100018	6F	FL058	18	54,57	53,81	60,0	40	-	31,8	45	11	0,62	
	19L100	L100019	6F	FL059	19	57,61	56,84	64,0	40	-	31,8	45	11	0,66	
	20L100	L100020	6F	FL060	20	60,64	59,88	66,5	40	-	31,8	45	11	0,72	
	21L100	L100021	6F	FL061	21	63,67	62,91	70,0	45	-	31,8	45	11	0,77	
	22L100	L100022	6F	FL062	22	66,70	65,94	75,0	45	-	31,8	45	11	0,88	
	23L100	L100023	6F	FL063	23	69,73	68,97	79,0	55	-	31,8	45	11	1,12	
	24L100	L100024	6F	FL063	24	72,77	72,00	79,0	55	-	31,8	45	11	1,13	
	25L100	L100025	6F	FL064	25	75,80	75,04	82,5	58	-	31,8	45	11	1,18	
	26L100	L100026	6F	FL065	26	78,83	78,07	86,0	58	-	31,8	45	11	1,24	
	27L100	L100027	6F	FL065	27	81,86	81,10	86,0	58	-	31,8	45	11	1,35	
	28L100	L100028	6F	FL066	28	84,89	84,13	91,0	58	-	31,8	45	11	1,42	
	29L100	L100029	6F	FL067	29	87,93	87,16	94,0	58	-	31,8	45	11	1,50	
	30L100	L100030	6F	FL068	30	90,96	90,20	97,0	70	-	31,8	45	11	1,61	
	32L100	L100032	6F	FL070	32	97,02	96,26	102,0	70	-	31,8	45	11	1,84	
	33L100	L100033	6F	FL071	33	100,05	99,29	106,0	70	-	31,8	45	11	1,95	
	34L100	L100034	6F	FL072	34	103,08	102,32	112,0	70	-	31,8	45	11	2,10	
	35L100	L100035	6F	FL072	35	106,12	105,35	112,0	70	-	31,8	45	11	2,23	
	36L100	L100036	6F	FL074	36	109,15	108,39	115,0	70	-	31,8	45	11	2,32	
	40L100	L100040	6WF	FL078	40	121,28	120,51	128,0	70	100	31,8	45	11	2,80	
	41L100	L100041	6WF	FL080	41	124,31	123,55	135,0	70	103	31,8	45	11	2,95	
	42L100	L100042	6WF	FL080	42	127,34	126,58	135,0	70	106	31,8	45	11	3,10	
	44L100	L100044	6WF	FL081	44	133,40	132,62	142,0	70	112	31,8	45	11	3,36	
	45L100	L100045	6WF	FL081	45	136,44	135,67	142,0	70	115	31,8	45	11	3,45	
	47L100	L100047	6WF	FL085	47	142,50	141,74	150,0	70	121	31,8	45	11	3,65	
	48L100	L100048	6WF	FL085	48	145,53	144,77	150,0	70	124	31,8	45	11	3,86	
	Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	49L100	L100049	6W	-	49	148,56	147,80	-	70	127	31,8	45	14	2,40
		50L100	L100050	6W	-	50	151,60	150,83	-	70	130	31,8	45	14	2,50
		52L100	L100052	6W	-	52	157,66	156,90	-	70	136	31,8	45	14	2,70
		56L100	L100056	6W	-	56	169,79	169,02	-	70	149	31,8	45	14	2,91
		57L100	L100057	6W	-	57	172,82	172,06	-	70	152	31,8	45	14	3,10
		60L100	L100060	6W	-	60	181,91	181,15	-	75	160	31,8	50	14	3,55
		65L100	L100065	6A	-	65	197,07	196,31	-	75	176	31,8	50	14	4,00
		66L100	L100066	6A	-	66	200,11	199,34	-	75	179	31,8	50	14	4,15
		72L100	L100072	6A	-	72	218,30	217,53	-	75	197	31,8	50	14	5,00
		84L100	L100084	6A	-	84	254,68	253,92	-	75	233	31,8	50	14	6,30
		90L100	L100090	6A	-	90	272,87	272,11	-	75	252	31,8	50	14	7,50
		96L100	L100096	6A	-	96	291,06	290,30	-	75	269	31,8	50	14	8,20
		120L100	L100120	6A	-	120	363,83	363,07	-	75	342	31,8	50	14	11,50

H 075 - 1/2" (12,75 mm)

Caratteristiche Features Merkmale Características Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro código	Tipo Type Typ Type Tipo	Codice flangia Flange code Bordscheiben-Code Code flasque Código brida	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	14H075	H075014	6F	FL059	14	56,60	55,22	64,0	40	-	26,4	40	8	0,59
	15H075	H075015	6F	FL060	15	60,64	59,27	66,5	45	-	26,4	40	8	0,65
	16H075	H075016	6F	FL061	16	64,68	63,31	70,0	45	-	26,4	40	8	0,70
	17H075	H075017	6F	FL062	17	68,72	67,35	75,0	45	-	26,4	40	8	0,73
	18H075	H075018	6F	FL063	18	72,77	71,39	79,0	55	-	26,4	40	11	0,91
	19H075	H075019	6F	FL064	19	76,81	75,44	82,5	60	-	26,4	40	11	1,08
	20H075	H075020	6F	FL076	20	80,85	79,48	87,0	62	-	26,4	40	11	1,18
	21H075	H075021	6F	FL066	21	84,89	83,52	91,0	65	-	26,4	40	11	1,30
	22H075	H075022	6F	FL067	22	88,94	87,56	94,0	68	-	26,4	40	11	1,42
	23H075	H075023	6F	FL068	23	92,98	91,61	97,0	72	-	26,4	40	11	1,67
	24H075	H075024	6F	FL070	24	97,02	95,65	102,0	72	-	26,4	40	11	1,71
	25H075	H075025	6F	FL071	25	101,06	99,69	106,0	72	-	26,4	40	11	1,87
	26H075	H075026	6F	FL072	26	105,11	103,73	112,0	80	-	26,4	40	11	2,00
	27H075	H075027	6F	FL074	27	109,15	107,78	115,0	80	-	26,4	40	11	2,10
	28H075	H075028	6F	FL075	28	113,19	111,82	120,0	80	-	26,4	40	11	2,26
	29H075	H075029	6F	FL075	29	117,23	115,86	120,0	80	-	26,4	40	11	2,49
	30H075	H075030	6F	FL078	30	121,28	119,90	128,0	80	-	26,4	40	11	2,70
	32H075	H075032	6F	FL080	32	129,36	127,99	135,0	80	-	26,4	40	11	2,85
	33H075	H075033	6F	FL081	33	133,40	132,03	142,0	80	-	26,4	40	11	3,10
	34H075	H075034	6F	FL081	34	137,45	136,07	142,0	80	-	26,4	40	11	3,30
	35H075	H075035	6F	FL085	35	141,49	140,12	150,0	80	-	26,4	40	11	3,50
	36H075	H075036	6F	FL085	36	145,53	144,16	150,0	80	-	26,4	40	11	3,65
	38H075	H075038	6F	FL086	38	153,62	152,24	158,0	80	-	26,4	40	11	3,90
	40H075	H075040	6F	FL090	40	161,70	160,33	168,0	80	-	26,4	40	11	4,23
42H075	H075042	6F	FL094	42	169,79	168,41	180,0	80	-	26,4	40	11	4,80	
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	44H075	H075044	6WF	FL095	44	177,87	176,50	184,0	80	150	26,4	40	14	5,20
	45H075	H075045	6WF	FL096	45	181,91	180,54	192,0	80	154	26,4	40	14	5,45
	48H075	H075048	6WF	FL100	48	194,04	192,67	200,0	90	166	26,4	45	14	4,30
	49H075	H075049	6W	-	49	198,08	196,71	-	90	170	26,4	45	14	4,50
50H075	H075050	6W	-	50	202,13	200,75	-	90	174	26,4	45	14	4,66	

